

FREESTYLE PHOTOGRAPHIC SUPPLIES LEGACY PRO MIC-X POWDER FILM DEVELOPER

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Distributor: Freestyle Photographic Supplies Product Name: MIC-X POWDER DEVELOPER

5124 Sunset Blvd., Hollywood, CA 90027

Product Number: **749710** Date Prepared: 01/22/2010

Customer Information Phone Number: 1-800-292-6137 CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	OHSA PEL	ACGIH TLV	Weight %
Sodium Sulfite	7757-83-7	N.E.	5 mg/m³	70-80
Sodium Chloride	7647-14-5	N.E.	N.E.	15-20
BIS(4-hydroxy-N-methy	lanilinium)			
Sulfate	55-55-0	N.E.	N.E.	1-5

3. HAZARDOUS IDENTIFICATION

POTENTIAL HEALTH EFFECTS WARNING! May liberate sulfur dioxide

Eye Contact: Dust/mist/vapor exposure may cause irritation.

Inhalation: Airborne dust/mist/vapor may cause irritation. In contact with strong acids or if heated may liberate sulfur dioxide which is irritating to the respiratory tract. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, or other breathing difficulties

Ingestion: May cause irritation or corrosion to digestive tract. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach difficulties, hives, faintness, weakness and diarrhea.

Skin Contact: Irritating to the skin. Some sulfite sensitive individuals may experience an allergic reaction.

Signs And Symptoms Of Exposure: Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, weakness, and diarrhea. Other signs of exposure are: eye irritation, respiratory irritation, dermatitis, difficulty breathing, abdominal pain, skin irritation, mucus membrane irritation, coughing, nausea, diarrhea.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Get immediate medical attention.

Inhalation: Remove to fresh air. Treat symptomatically. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, DO NOT induce vomiting. Only induce vomiting at the instruction of medical personnel. Call a physician or poison control center immediately.

Skin Contact: Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Wash contaminated clothes before reuse. Get medical attention if irritation develops.

MATERIAL SAFETY DATA SHEET



Aggravated Medical Conditions: Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product. Some asthmatics or sulfite-sensitive persons may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness, and diarrhea. Allergies, chronic asthmas may be exacerbated by dust from this product.

Supplemental Health Information: None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen. Contains: Bis(4-hydroxy-N-methylanilinium) sulfate. Absorption of this material into the body may lead to the formation of methemoglobin based upon animal studies which in sufficient concentration causes cyanosis.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point: Noncombustible solid

Extinguishing Media: Use agent appropriate for surrounding fire.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Unusual Fire And Explosion Hazards: Fire or excessive heat may cause production of hazardous decomposition products.

Decomposition Products: Concentrate: oxides of sulfur and hydrogen chloride.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Spilled Or Released: Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. If dry, sweep up chemical and place in a suitable container. If mixed, dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment. Contaminated surfaces should be cleaned using water.

7. HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Do not breathe dust at concentrations greater than the exposure level. Avoid contact with eyes, skin, and clothing. Store in a cool, dry, well ventilated area. Keep containers closed. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Do not reuse containers. Triple rinse before disposal. Dispose of in a licensed facility. Recommended crushing or other means to prevent re-use.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Avoid breathing dust. Wear OSHA approved dust filter respirator if TLV is to be exceeded. Respirator type: N95 Particulate Filter. A respirator should be worn if hazardous decomposition products are likely to have been released. Respirator type: acid gas.

MATERIAL SAFETY DATA SHEET



Ventilation: Good ventilation of 10 room volumes per hour. Ventilation rates should match

conditions of use.

Protective Gloves: Latex, rubber, or neoprene waterproof gloves are recommended.

Eye Protection: Wear safety glasses with side shield or goggles. Other Protective Clothing or Equipment: Rubber or plastic apron.

Work/Hygienic Practices: Use good personal hygiene when handling this product. Wash hands

after use, before smoking, or using the toilet.

Engineering Controls: Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower. Exposure Guidelines: See Section 2.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Tan solid, no odor.

Solubility In Water: Complete Boiling Point: Not applicable Vapor Pressure: Negligible Specific Gravity: Not applicable

Melting Point: N.E. Freezing Point: N.E.

Evaporation Rate: Not applicable Vapor Density: Not applicable

Percent Volatile: 0
Ph: Not applicable
Molecular Weight: N.E.
Other Properties: V.O.C. = 0

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions To Avoid: Moisture

Incompatibility: Strong acids; Contact with strong acids will liberate sulfur dioxide.

Hazardous Decomposition Or By Products: May produce hydrogen chloride and oxides of sulfur.

Hazardous Polymerization: Will Not Occur

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Discharge, treatment or disposal may be subject to Federal, State (provincial in Canada) or local laws. Consult state or local regulatory authorities before flushing to sewer with large amounts of water.

MATERIAL SAFETY DATA SHEET



14. TRANSPORT INFORMATION

DOT Class: NOT REGULATED

Hazard Class: NONE UN No.: NOT APPLICABLE

Packing Group: Guide No: Ship Name:

15. REGULATORY INFORMATION

TSCA: All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SARA TITLE III: None CALIF. PROP. 65: None

CARCINOGENICITY: NONE OF THE COMPONENTS IN THIS CHEMICAL IS LISTED BY IARC,

NTP, OR OSHA AS A CARCINOGEN.

SCAQMD Rule 443.1

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 0 m/L Vapor Pressure: N.E. mm Hg@ 20 Degrees C

16. OTHER INFORMATION (HMIS)

Health: 2* Flammability: 0 Reactivity: 0

OTHER ADDITIONAL INFORMATION: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.