

ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

Ilfotec HC Film Developer

1. IDENTIFICATION

Product Name	Ilfotec HC Film Developer
Product No.	1155064
Internal Id	10019
Container Size	1 Liter
Identification No.	3082
Identified uses	Developer Solution
Supplier	Distributors USA: WYNIT Inc, 5801 East Taft Road, North Syracuse, NY 13212. Tel: 1 800 GO WYNIT (469 9648) or 1 315 437 4167, Fax: 1 315 437 0432 Canada: Amplis Foto Inc, 22 Telson Road, Markham, Ontario L3R 1E5, Tel: 905 477 4111, Fax: 905 477 2502
Contact Person	USA: ilfordhelp@wynit.com; Canada: phil.nielsen@amplis.com
Emergency Telephone	USA/Canada: For medical emergency, call 1 800 842 9660 (Product Misuse).

2. HAZARD(S) IDENTIFICATION

Appearance	Viscous Liquid
Color	Clear Colourless to pale yellow.
Odor	No characteristic odor.
GHS Pictogram	



Signal Word	Danger
--------------------	--------

Hazard Statements	H302	Harmful if swallowed.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H341	Suspected of causing genetic defects.
	H351	Suspected of causing cancer.
	H373	May cause damage to organs through prolonged or repeated exposure.
	H400	Very toxic to aquatic life.

Precautionary Statements	P101	If medical advice is needed, have product container or label at hand.
	P273	Avoid release to the environment.
	P280	Wear protective clothing, gloves, eye and face protection.
	P301+312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ifotec HC Film Developer

Contains	P405	Store locked up.
	P501	Dispose of contents/container in accordance with local regulations.
	DIETHANOLAMINE	
	Diethanolamine bisulphite	
GHS Classification	HYDROQUINONE	
	Physical and Chemical Hazards	Not classified.
	Human health	Acute Tox. 4 - H302;Skin Irrit. 2 - H315;Eye Dam. 1 - H318;Skin Sens. 1 - H317;Muta. 2 - H341;Carc. 2 - H351;STOT RE 2 - H373
	Environment	Aquatic Acute 1 - H400

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM - WHMIS

WHMIS Label



Materials Causing Immediate and Serious Toxic Effect.

Controlled Product Classification

This Product has been classified according to the hazard criteria of the Controlled Products Regulations and the MSDS contains all required information.

Inhalation

May cause irritation to the respiratory system.

Ingestion

Harmful if swallowed. May cause discomfort if swallowed.

Skin Contact

Irritating to skin. May cause sensitization by skin contact. May cause allergic contact eczema.

Eye Contact

Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation.

Health Warnings

Prolonged or repeated exposure may cause severe irritation. May cause skin irritation/eczema. May cause sensitization by skin contact. Irritating to eyes. Spray and vapor in the eyes may cause irritation and smarting. May cause allergy. May cause hypersensitivity.

Route Of Entry

Skin and/or eye contact. Ingestion.

Medical Considerations

May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Other Health Effects

Hydroquinone: Carcinogen Category 3. Mutagen Category 3. ACGIH A3 IARC 3 IARC Animal Carcinogen List. IARC Int. Agency for Cancer Research.

3. COMPOSITION/INFORMATION ON INGREDIENTS

1-Phenyl-4-methyl-3-pyrazolidone	< 1%
CAS No.: 2654-57-1	EC No.: 220-180-6
GHS Classification Acute Tox. 4 - H302; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	
2,2'-OXYBISETHANOL	10-30%
CAS No.: 111-46-6	EC No.: 203-872-2
GHS Classification Acute Tox. 4 - H302	

Ifotec HC Film Developer

DIETHANOLAMINE 31-35 %
CAS No.: 111-42-2 EC No.: 203-868-0
GHS Classification Acute Tox. 4 - H302; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; STOT RE 2 - H373
Diethanolamine bisulphite 10-30%
CAS No.: 63149-47-3 EC No.: 263-968-5
GHS Classification Acute Tox. 4 - H302; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; STOT RE 2 - H373
Diethanolamine Hydrobromide 1-5%
CAS No.: 28129-21-7 EC No.:
GHS Classification Acute Tox. 4 - H302; Skin Irrit. 2 - H315; Eye Dam. 1 - H318; STOT RE 2 - H373
Diethylenetriamine Pentaacetic Acid Na5 1-5%
CAS No.: 140-01-2 EC No.: 205-391-3
GHS Classification Acute Tox. 4 - H332; Repr. 2 - H361d
HYDROQUINONE 5-10%
CAS No.: 123-31-9 EC No.: 204-617-8
GHS Classification Acute Tox. 4 - H302; Eye Dam. 1 - H318; Skin Sens. 1 - H317; Muta. 2 - H341; Carc. 2 - H351; Aquatic Acute 1 - H400

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Contact physician if irritation continues.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

Ifotec HC Film Developer

Most important symptoms and effects, both acute and delayed

Inhalation

No specific symptoms noted.

Ingestion

No specific symptoms noted.

Skin Contact

May cause skin sensitisation.

Eye Contact

May cause severe irritation to eyes.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

No specific first aid measures noted.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Use fire-extinguishing media appropriate for surrounding materials.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific Hazards

When heated and in case of fire, harmful vapors/gases may be formed.

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet. Avoid contact with skin and eyes. Provide adequate ventilation.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground. The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

Spill Clean Up Methods

For waste disposal, see section 13. Small quantities may be flushed to drains with plenty of water. Prevent discharge of larger quantity to drain. Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Wash contaminated area with water. Do not let washing down water contaminate ponds or waterways.

Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

7. HANDLING AND STORAGE

Handling

Provide good ventilation. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Read and follow manufacturer's recommendations.

Storage

Store in closed original container in a dry place. Store under well-ventilated conditions at a temperature below 25°C.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ifotec HC Film Developer

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
DIETHANOLAMINE	ACGIH		1 mg/m ³			A3, Skin
HYDROQUINONE	ACGIH		1 mg/m ³			A3, Sen
HYDROQUINONE	PEL		2 mg/m ³			

COMPONENT	IDLH
HYDROQUINONE	50 mg/m ³

ACGIH=American Conference of Governmental Industrial Hygienists.

A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans.

Skin: Danger of cutaneous absorption. (ACGIH)

SEN: Sensitizer.

Protective Equipment



Engineering Measures

Provide adequate ventilation. Must not be handled in confined space without sufficient ventilation.

Respiratory Equipment

Respiratory protection not required.

Hand Protection

Use protective gloves. Nitrile gloves are recommended.

Eye Protection

Use eye protection.

Other Protection

Wear suitable protective clothing as protection against splashing or contamination.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Viscous Liquid
Color	Clear Colourless to pale yellow.
Odor	No characteristic odor.
Solubility	100% Soluble in water.
Initial boiling point and boiling range	>100
Relative density	1.22 at 20°C
pH-Value, Diluted Solution	8.86 - 9.0 (1 + 31)

10. STABILITY AND REACTIVITY

Reactivity

No specific reactivity hazards associated with this product.

Stability

Stable under the prescribed storage conditions. No particular stability concerns.

Hazardous Polymerisation

Will not polymerise.

Conditions To Avoid

Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

Materials To Avoid

Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.

Hazardous Decomposition Products

When heated, toxic and corrosive vapors/gases may be formed. Fire or high temperatures create: Sulfurous gases (SO_x). Ammonia or amines.

Ifotec HC Film Developer

11. TOXICOLOGICAL INFORMATION

Toxicological information

This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.

Other Health Effects

Hydroquinone: Carcinogen Category 3. Mutagen Category 3. ACGIH A3 IARC 3 IARC Animal Carcinogen List. IARC Int. Agency for Cancer Research.

Toxicological Information on Ingredients:

Toxic Dose 1 - LD 50

620 mg/kg (oral rat)

DIETHANOLAMINE (CAS: 111-42-2)

Toxic Dose 1 - LD 50

320 mg/kg (oral rat)

HYDROQUINONE (CAS: 123-31-9)

Toxic Dose 2 - LD 50

>900 mg/kg (skn-rat)

2,2'-OXYBISETHANOL (CAS: 111-46-6)

Toxic Dose 1 - LD 50

12, 600 mg/kg (oral rat)

Diethylenetriamine Pentaacetic Acid Na5 (CAS: 140-01-2)

Toxic Dose 1 - LD 50

>4000 mg/kg (oral rat)

12. ECOLOGICAL INFORMATION

Toxicity

The product contains a substance that is very toxic to aquatic organisms.

Degradability

There are no data on the degradability of this product.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

The product is soluble in water.

Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

Other adverse effects

None known.

Ifotec HC Film Developer

Ecological Information on Ingredients:

LC 50, 96 Hrs, Fish mg/l
>100 mg/L (Fathead Minnow)

LC 50, 96 Hrs, Fish mg/l
0.10-0.18 (Fathead Minnow)

EC 50, 48 Hrs, Daphnia, mg/l
0.05

IC 50, 72 Hrs, Algae, mg/l
1.0

LC 50, 96 Hrs, Fish mg/l
>100

EC 50, 48 Hrs, Daphnia, mg/l
0.3 - 1

LC 50, 96 Hrs, Fish mg/l
>1000 (Iepomis macrochirus)

EC 50, 48 Hrs, Daphnia, mg/l
>500 (Daphnia magna)

DIETHANOLAMINE (CAS: 111-42-2)

HYDROQUINONE (CAS: 123-31-9)

2,2'-OXYBISETHANOL (CAS: 111-46-6)

Diethylenetriamine Pentaacetic Acid Na5 (CAS: 140-01-2)

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to be handled by a licensed hazardous waste contractor.

14. TRANSPORT INFORMATION

General	Limited Quantity Exemption. No labeling or placarding required for land and air transport within the USA under 49CFR 171.4 or for land transport within Canada under SOR/2008-34.
UN No. (DOT/TDG)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
DOT Proper Shipping Name	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
TDG Proper Shipping Name	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
IMDG Class	9
ICAO Class	9
Transport Labels	



IMDG Pack Group III

Air Pack Group III

Environmentally Hazardous Substance/Marine Pollutant

Ifotec HC Film Developer



EMS

F-A, S-F

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes

Not applicable.

15. REGULATORY INFORMATION

Regulatory Status (US)

TSCA: The ingredients of this product are on the TSCA Inventory.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

The following ingredients are listed.

HYDROQUINONE; EPCRA 302 TPQ 10 000 lbs 500 lbs Tier II TPQ 500 lbs

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

DIETHANOLAMINE; 100 lbs (45.4 Kg)

HYDROQUINONE; 100 lbs (45.4 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

DIETHANOLAMINE 28.83%

HYDROQUINONE 8.17%

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

State Regulations Comments

No information available.

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

DIETHANOLAMINE

HYDROQUINONE

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

DIETHANOLAMINE

HYDROQUINONE

Rhode Island "Right To Know" List

The following ingredients are listed.

DIETHANOLAMINE

HYDROQUINONE

Minnesota "Right To Know" List

The following ingredients are listed.

DIETHANOLAMINE

HYDROQUINONE

Ilfotec HC Film Developer

New Jersey "Right To Know" List

The following ingredients are listed.

DIETHANOLAMINE

HYDROQUINONE

Pennsylvania "Right To Know" List

The following ingredients are listed.

DIETHANOLAMINE

HYDROQUINONE

International Inventories

Canada – DSL/NDSL

The following ingredients are listed.

1-Phenyl-4-methyl-3-pyrazolidone

DIETHANOLAMINE

HYDROQUINONE

US - TSCA

The following ingredients are listed.

1-Phenyl-4-methyl-3-pyrazolidone

DIETHANOLAMINE

HYDROQUINONE

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

16. OTHER INFORMATION

General Information

HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

Information Sources

European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.

Issued By HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email:
trevor.rhodes@harmantechnology.com

Revision Date 06/23/2015

Revision 5

Supersedes Date 11/05/2014