

FREESTYLE PHOTOGRAPHIC SUPPLIES LEGACYPRO LMAX FILM DEVELOPER

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: Photo Systems, Inc. Product Name: LMAX FILM DEVELOPER

Product Number: **10146, 10147** Date Prepared: 05/01/2007

Customer Information Phone Number: 1-800-521-4042

CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	OHSA PEL	ACGIH TLV	Weight %
POTASSIUM SULFITE	10117-38-1	N.E.	N.E.	10-15
HYDROQUINONE	123-31-9	2mg/m³	2mg/m³	1-5
DIETHYLENE GLYCOL	111- 4 6-6	10mg/m³ (WEEL)	50 ppm TWA	1-5

3. HAZARDOUS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Eye Contact: Causes irritation.

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, the sulfites may liberate sulfur dioxide gas which is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Ingestion: May be harmful if swallowed. Can cause kidney damage and CNS effects following May cause burns of the gastrointestinal tract if swallowed. Some asthmatics or sulfur-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness, or diarrhea.

Skin Contact: Causes irritation; may cause allergic reaction.

Signs And Symptoms Of Exposure: Eye irritation, respiratory irritation, dermatitis, difficulty breathing, abdominal pain, skin irritation, mucus membrane irritation, coughing, nausea, diarrhea.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Inhalation: If symptomatic, remove to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

Ingestion: Only induce vomiting at the instruction of medical personnel. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Skin Contact: Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Remove and wash contaminated clothes before reuse. Get medical attention if irritation develops.

Aggravated Medical Conditions: Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product. Some asthmatics or sulfite-sensitive persons may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Supplemental Health Information: None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen.

MATERIAL SAFETY DATA SHEET



5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point: None

Extinguishing Media: Water spray, carbon dioxide, dry chemical, alcohol foam.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products. Use water spray to keep containers cool.

Unusual Fire And Explosion Hazards: Fire or excessive heat may cause production of hazardous decomposition products.

Combustion Products: Carbon dioxide, carbon monoxide, and oxides of sulfur and nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Spilled Or Released: Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment.

7. HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Store in a cool, dry, well-ventilated area. Keep containers closed. Do not store with oxidizing materials and keep away from heat. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Triple rinse before disposal.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Use of respiratory protection is generally not required. However, if use conditions generate decomposition vapors or fumes; use a NIOSH approved acid gas respirator.

Ventilation: Provide exhaust ventilation sufficient to keep the airborne concentration of this product below its exposure limits.

Protective Gloves: Impervious gloves are recommended.

Eye Protection: Safety glasses with side shields (or goggles).

Other Protective Clothing or Equipment: Rubber or plastic apron.

Work/Hygienic Practices: Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet.

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure Guidelines: See Section 2.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Pale yellow color, no odor.

Solubility In Water: Complete

Boiling Point: > 100° C Vapor Pressure: 18 mm Hg @68 °F

Date: 6/19/07 LMAX Film Developer 2 / 4

MATERIAL SAFETY DATA SHEET



Specific Gravity: 1.06 Melting Point: Not applicable Freezing Point: N.E. Evaporation Rate: N.E. Vapor Density: 0.6 (air=1) Percent Volatile: 90.77

Ph: 9.63 Pounds Per Gallon: 8.83

Molecular Weight: Not applicable V.O.C. is 0.28.0 g/L or 2.64% or 23.31 lb./gal.

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions To Avoid: High temperatures

Incompatibility: Strong Acids, strong oxidizing agents.

Hazardous Decomposition Or By Products: May produce carbon dioxide, carbon monoxide, and

oxides of sulfur and nitrogen.

Hazardous Polymerization: Will Not Occur

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to National, State, or local laws. Any disposal practice must be in compliance with regulations.

14. TRANSPORT INFORMATION

DOT Class: NOT REGULATED

Hazard Class: NONE UN No.: Not applicable

Packing Group: Guide No: Ship Name:

15. REGULATORY INFORMATION

TSCA: All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SARA TITLE III: Hydroquinone is listed under Sara Title III Section 313.

CALIF. PROP. 65: Product contains a mixture which includes trace amounts of Trisodium NTA. The State of California's Safe Drinking Water and Toxic Enforcement Act of 1986, or Proposition 65 requires the following information. This regulation does not address di minimus levels; therefore, even trace amounts of the chemicals included on Proposition 65's list of chemicals known to the State of California to cause cancer or reproductive toxicity must be noted with the "Safe Harbor" wording. WARNING: This product contains Trisodium NTA – known to the State of California to cause cancer, birth defects or other reproductive harm.

CARCINOGENICITY: NONE OF THE COMPONENTS IN THIS CHEMICAL IS ABOVE THE MINIMUM AMOUNT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

SCAQMD Rule 443.1

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 28.0gm/L

Vapor Pressure: N.E. mmHg@ 20 °C

MATERIAL SAFETY DATA SHEET



16. OTHER INFORMATION (HMIS)

Health: 2

Flammability: 0 Reactivity: 0

OTHER ADDITIONAL INFORMATION: The information and recommendations contained herein are based on data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.