

PHOTOGRAPHERS' FORMULARY INC.

P.O. Box 950 • Condon MT 59826 • 800-922-5255 • FAX 406-754-2896

FORMULARY/CAW P.O.P. TONER

Makes working solution to tone approximately 50 8x10 Prints

Formulary/CAW POP Toner is a thiocyanate and gold toning formula for use with the Chicago Albumen Works gelatin chloride printing-out paper (P.O.P.). The color of the print-out image may be variously described as blood-red, rust-red, brick-red or plum-red. The exact shade will vary depending on several factors. However, differences in print-out color have little bearing on the color of the finished print, for toning and fixing determine the final hue. Depending on the length of time the print is toned, the final hue can range from red-brown through purple-brown. No developer is required. Paper can be obtained from:

The Chicago Albumen Works
P.O. Box 805 Front Street
Housatonic, MA 01236
(413) 274-6901

CHEMICAL SAFETY:

All chemicals are dangerous and must be treated with respect. Please read the chemical warnings on each package. Please exercise extreme care when handling, and avoid skin or eye contact.

Solution A of this formula contains ammonium thiocyanate. It is considered to be non-toxic but can cause skin eruptions on some individuals. If this should happen, discontinue exposure and consult a physician. The thiocyanate group in this chemical is only remotely related to cyanide and cannot be converted to it.

Solution B contains gold chloride which is caustic and cause skin burns. In dilute solution, gold chloride will stain the skin purple. The stain cannot be chemically removed and will have to be left to wear off. If you are concerned with finger stains, we strongly urge you to use rubber, Playtex-type gloves, when working with this toner.

CAW P.O.P. Toner

Photographers' Formulary
800-922-5255

Page 1

The user assumes all risk upon accepting these chemicals. If for any reason you do not wish to assume all risks, please return the chemicals for a full refund, WITHIN THIRTY DAYS.

LIFE OF THE SOLUTIONS:

The shelf life of both stock solutions is indefinite in full, tightly capped bottles. The life of the working solution is approximately one 8-hour working session.

CAPACITY:

500 ml. each of Stock Solution A and Stock Solution B can make enough working toner solution (with replenishment, discussed later) to tone approximately fifty 8"x10" prints in three printing sessions, assuming one liter batches of working toner per session.

PREPARE THE TONER:

1. Mix the following stock solutions (adapted from Kodak, Limited, London, Toner T-53):

STOCK SOLUTION A

Ammonium Thiocyanate	10 grams
Distilled Water (120°F)	500 ml.

Allow this stock solution to stand overnight.

STOCK SOLUTION B

Gold Chloride	1 gram
Distilled Water (70°F)	500 ml.

Both stock solutions will keep indefinitely.

MIX THE WORKING SOLUTION:

The working solution is prepared from the two stock solutions as follows:

Tap water (70°F)	900 ml.
Stock Solution A	50 ml.
Stock Solution B	50 ml.

Upon addition of Solution B, toner will turn red momentarily. Working dilution of toner may be used immediately

DRYING THE PRINT:

Dry the print emulsion up on clean blotters or screens. Flatten dry prints in a heated mounting press (180° - 200°F).:

PROOFS:

Stable proofs may be produced by merely fixing and washing the exposed P.O.P. paper. There is no control of color, and the final hue will be an orange-brown color. For untuned proofs, print even darker than for normally processed prints and place prints directly in the hypo with no pre-riase. A slight improvement in color will be seen if a higher concentration of hypo is used (300 grams/1000 ml.), and if it is "aged" with a few scrap prints before use.

NOTE: Do not leave negatives in contact with unprocessed P.O.P. longer than necessary, as the excess silver nitrate in the paper can transfer to the negative, causing indelible stains. It is a good precaution to place a very thin (0.001" or thinner) sheet of clear polyester (i.e. Mylar®) between the negative and the printing paper during exposure. The use of this very thin polyester and a more or less point light source will result in negligible softening of the image.

SIGMA-ALDRICH

MATERIAL SAFETY DATA SHEET

Date Printed: 06/17/2004

Date Updated: 03/10/2004

Version 1.2

Section 1 - Product and Company Information

Product Name	GOLD(I) CHLORIDE, 99.9%
Product Number	481130
Brand	ALDRICH
Company	Sigma-Aldrich
Street Address	3050 Spruce Street
City, State, Zip, Country	SAINT LOUIS MO 63103 US
Technical Phone:	314 771 5765
Emergency Phone:	414 273 3850 Ext. 5996
Fax:	800 325 5052

Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313
GOLD(I) CHLORIDE, 99.9%	10294-29-8	No
Formula	AuCl	

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Corrosive.

Causes burns. May cause sensitization by skin contact.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

EYE EXPOSURE

Assure adequate flushing of the eyes by separating the eyelids with fingers.

Section 5 - Fire Fighting Measures

FLASH POINT

N/A

AUTOIGNITION TEMP

N/A

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Dry chemical powder.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Specific Hazard(s): Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

HANDLING

User Exposure: Avoid inhalation. Do not get in eyes, on skin, on clothing.

STORAGE

Suitable: Keep tightly closed. Store in a cool dry place.

Section 8 - Exposure Controls / PPE

ENGINEERING CONTROLS

Use only in a chemical fume hood. Safety shower and eye bath.

PERSONAL PROTECTIVE EQUIPMENT

Other: Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. Faceshield (8-inch minimum).

GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

Section 9 - Physical/Chemical Properties

Appearance	N/A	
Property	Value	At Temperature or Pressure
Molecular Weight	232.42 AMU	
pH	N/A	
BP/BP Range	N/A	
MP/MP Range	289 °C	
Freezing Point	N/A	
Vapor Pressure	N/A	
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
SG/Density	7.57 g/cm ³	
Bulk Density	N/A	

Odor Threshold	N/A
Volatile%	N/A
VOC Content	N/A
Water Content	N/A
Solvent Content	N/A
Evaporation Rate	N/A
Viscosity	N/A
Surface Tension	N/A
Partition Coefficient	N/A
Decomposition Temp.	N/A
Flash Point	N/A
Explosion Limits	N/A
Flammability	N/A
Autoignition Temp	N/A
Refractive Index	N/A
Optical Rotation	N/A
Miscellaneous Data	N/A
Solubility	N/A

N/A = not available

Section 10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Decomposes on heating to chlorine gas, hydrogen chloride and metallic gold.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

Section 11 - Toxicological Information

ROUTE OF EXPOSURE

Multiple Routes: May be harmful by inhalation, ingestion, or skin absorption.

SENSITIZATION

Skin: May cause allergic skin reaction.

SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Exposure can cause stomatitis, metallic taste, itching, erythema, eczema, erythema multiforme, exfoliative dermatitis, thrombocytopenia, leucopenia, agranulocytosis, and aplastic anemia. Exposure can also cause a gray-to-blue pigmentation (chrysiasis) in the skin and mucous membranes, especially in areas exposed to light. Gold deposits may occur in the eyes causing keratitis and corneal ulceration.

Section 12 - Ecological Information

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Catalysts and expensive metals should be recovered for reuse or recycling. Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Corrosive solid, acidic,
inorganic, n.o.s.
UN#: 3260
Class: 8
Packing Group: Packing Group II
Hazard Label: Corrosive
PIH: Not PIH

IATA

Proper Shipping Name: Corrosive solid, acidic,
inorganic, n.o.s.
IATA UN Number: 3260
Hazard Class: 8
Packing Group: II

Section 15 - Regulatory Information

EU ADDITIONAL CLASSIFICATION

Symbol of Danger: C
Indication of Danger: Corrosive.
R: 34 43
Risk Statements: Causes burns. May cause sensitization by skin contact.
S: 26 27 36/37/39 45
Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Take off immediately all contaminated clothing. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Corrosive.
Risk Statements: Causes burns. May cause sensitization by skin contact.
Safety Statements: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Take off immediately all contaminated clothing. Wear suitable protective clothing, gloves, and eye/face protection.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.
DSL: Yes
NDSL: No

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2004 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

Valid 05/2002 - 07/2002

Sigma Chemical Co.
P.O. Box 14508
St. Louis, MO 63178 USA
Phone: 314-771-5765

M A T E R I A L S A F E T Y D A T A S H E E T

SECTION 1. - - - - - CHEMICAL IDENTIFICATION- - - - -
 CATALOG #: A7149
 NAME: AMMONIUM THIOCYANATE
SECTION 2. - - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -
 CAS #: 1762-95-4
 MF: CH4N2S
 EC NO: 217-175-6
SYNONYMS
 AMMONIUM RHODANATE * AMMONIUM SULFOCYANATE * AMMONIUMTHIOCYANATE *
 RHODANID * RHODANIDE * TRANS-AID * USAF EK-P-433 *
SECTION 3. - - - - - HAZARDS IDENTIFICATION - - - - -
 LABEL PRECAUTIONARY STATEMENTS
 HARMFUL
 HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.
 CONTACT WITH ACIDS LIBERATES VERY TOXIC GAS.
 TARGET ORGAN(S):
 THYROID
 CENTRAL NERVOUS SYSTEM
 WEAR SUITABLE PROTECTIVE CLOTHING.
 HYGROSCOPIC
SECTION 4. - - - - - FIRST-AID MEASURES- - - - -
 IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.
 CALL A PHYSICIAN.
 IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL
 RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
 IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER
 FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND
 SHOES. CALL A PHYSICIAN.
 IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER
 FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING
 THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.
SECTION 5. - - - - - FIRE FIGHTING MEASURES - - - - -
 EXTINGUISHING MEDIA
 WATER SPRAY.
 CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM.
 SPECIAL FIREFIGHTING PROCEDURES
 WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO
 PREVENT CONTACT WITH SKIN AND EYES.
 UNUSUAL FIRE AND EXPLOSIONS HAZARDS
 EMITS TOXIC FUMES UNDER FIRE CONDITIONS.
SECTION 6. - - - - - ACCIDENTAL RELEASE MEASURES- - - - -
 WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
 RUBBER GLOVES.
 SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL.
 AVOID RAISING DUST.
 VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.
 EVACUATE AREA.
SECTION 7. - - - - - HANDLING AND STORAGE- - - - -
 REFER TO SECTION 8.
SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -
 SAFETY SHOWER AND EYE BATH.
 MECHANICAL EXHAUST REQUIRED.

WASH THOROUGHLY AFTER HANDLING.
DO NOT BREATHE DUST.
AVOID CONTACT WITH EYES, SKIN AND CLOTHING.
AVOID PROLONGED OR REPEATED EXPOSURE.
NIOSH/MSHA-APPROVED RESPIRATOR.
COMPATIBLE CHEMICAL-RESISTANT GLOVES.
CHEMICAL SAFETY GOGGLES.
STORE IN A COOL DRY PLACE.
KEEP TIGHTLY CLOSED.

SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - - -

PHYSICAL PROPERTIES

MELTING POINT: 152 - 154 C
SOLUBILITY:

WATER -Z26130

SPECIFIC GRAVITY: 1.305

PH: 4.0 - 5.5

SECTION 10. - - - - - -STABILITY AND REACTIVITY - - - - -

STABILITY

STABLE.

INCOMPATIBILITIES

PROTECT FROM MOISTURE.

STRONG OXIDIZING AGENTS

STRONG ACIDS

FORMS EXPLOSIVE MIXTURES WITH:

LEAD NITRATE

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS

CARBON MONOXIDE, CARBON DIOXIDE

NITROGEN OXIDES

SULFUR OXIDES

HYDROGEN CYANIDE

AMMONIA

HAZARDOUS POLYMERIZATION

WILL NOT OCCUR.

SECTION 11. - - - - - TOXICOLOGICAL INFORMATION - - - - -

ACUTE EFFECTS

MAY CAUSE SKIN IRRITATION.

HARMFUL IF ABSORBED THROUGH SKIN.

MAY CAUSE EYE IRRITATION.

HARMFUL IF INHALED.

MATERIAL MAY BE IRRITATING TO MUCOUS MEMBRANES AND UPPER
RESPIRATORY TRACT.

HARMFUL IF SWALLOWED.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND
TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

CHRONIC EFFECTS

TARGET ORGAN(S):

THYROID

CENTRAL NERVOUS SYSTEM

RTECS #: XK7875000

THIOCYANIC ACID, AMMONIUM SALT

TOXICITY DATA

ORL-RAT LD50:750 MG/KG

GTPZAB 30(10),51,1986

ORL-MUS LD50:500 MG/KG

GTPZAB 30(10),51,1986

IPR-MUS LD50:500 MG/KG

NTIS** AD277-689

ORL-GPG LD50:500 MG/KG

GTPZAB 30(10),51,1986

TARGET ORGAN DATA

BEHAVIORAL (HALLUCINATIONS, DISTORTED PERCEPTIONS)

GASTROINTESTINAL (NAUSEA OR VOMITING)

GASTROINTESTINAL (OTHER CHANGES)

ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR
COMPLETE INFORMATION.

SECTION 12. - - - - - ECOLOGICAL INFORMATION - - - - -

DATA NOT YET AVAILABLE.

SECTION 13. - - - - - DISPOSAL CONSIDERATIONS - - - - -

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. - - - - - TRANSPORT INFORMATION - - - - -

CONTACT SIGMA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.

SECTION 15. - - - - - REGULATORY INFORMATION - - - - -

EUROPEAN INFORMATION

HARMFUL

R 20/21/22

HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

R 32

CONTACT WITH ACIDS LIBERATES VERY TOXIC GAS.

S 13

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK

OEL-RUSSIA: STEL 5 MG/M3, JAN1993

NOHS 1974: HZD 80258; NIS 54; TNF 7280; NOS 50; TNE 36582

NOES 1983: HZD 80258; NIS 79; TNF 10883; NOS 98; TNE 90585; TFE 23403

EPA TSCA SECTION 8(B) CHEMICAL INVENTORY

EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE, JANUARY 2001

SECTION 16. - - - - - OTHER INFORMATION - - - - -

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA, ALDRICH, FLUKA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 2001 SIGMA-ALDRICH CO.

LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 001

MSDS NO: MZS5230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

PHOTOGRAPHERS FORMULARY
CALL IN ADVANCE TO MEET
7079 HWY 83 N.
BOX 89
CONDON ,MT 59826

UNIVAR USA INC.

6100 CARILLON POINT , KIRKLAND

(425)889-3400

, WA 98033

----- EMERGENCY ASSISTANCE -----

FOR EMERGENCY ASSISTANCE INVOLVING CHEMICALS CALL - CHEMTREC
(800)424-9300

PRODUCT NAME: SODIUM THIOSULFATE

MSDS NUMBER: MZS5230

DATE ISSUED: 3/21/2005

SUPERSEDES: 5/22/2002

ISSUED BY: 008614

=====

SODIUM THIOSULFATE

=====

1. PRODUCT IDENTIFICATION

SYNONYMS: SODIUM THIOSULFATE, PENTAHYDRATE; THIOSULFURIC ACID,
DISODIUM SALT, PENTAHYDRATE

CAS NO: 7772-98-7 (ANHYDROUS) 10102-17-7 (PENTAHYDRATE)

MOLECULAR WEIGHT: 248.17

CHEMICAL FORMULA: NA2S2O3.5H2O

Distributed by:

Univar USA Inc.

6100 Carillon Point

Kirkland, WA 98033

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 002

MSDS NO: MZS5230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

425-889-3400

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS NO	PERCENT	HAZARDOUS
SODIUM THIOSULFATE	7772-98-7	100%	YES

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION! MAY BE HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.

POTENTIAL HEALTH EFFECTS

INHALATION:

MAY CAUSE IRRITATION TO THE RESPIRATORY TRACT. SYMPTOMS MAY INCLUDE COUGHING AND SHORTNESS OF BREATH.

INGESTION:

LOW LEVEL OF TOXICITY BY INGESTION. DIARRHEA MAY OCCUR BY INGESTION OF LARGE QUANTITIES.

SKIN CONTACT:

IRRITATION MAY OCCUR FROM PROLONGED SKIN CONTACT.

EYE CONTACT:

CONTACT MAY CAUSE MECHANICAL IRRITATION.

CHRONIC EXPOSURE:

CHRONIC EXPOSURE MAY CAUSE SKIN EFFECTS.

AGGRAVATION OF PRE-EXISTING CONDITIONS:

NO INFORMATION FOUND.

4. FIRST AID MEASURES

INHALATION:

REMOVE TO FRESH AIR. GET MEDICAL ATTENTION FOR ANY BREATHING DIFFICULTY.

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 003

MSDS NO: MZS5230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

INGESTION:

INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.

SKIN CONTACT:

WASH EXPOSED AREA WITH SOAP AND WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPS.

EYE CONTACT:

WASH THOROUGHLY WITH RUNNING WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPS.

=====

5. FIRE FIGHTING MEASURES

FIRE:

NOT CONSIDERED TO BE A FIRE HAZARD.

EXPLOSION:

NOT CONSIDERED TO BE AN EXPLOSION HAZARD.

FIRE EXTINGUISHING MEDIA:

USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE.

SPECIAL INFORMATION:

USE PROTECTIVE CLOTHING AND BREATHING EQUIPMENT APPROPRIATE FOR THE SURROUNDING FIRE.

=====

6. ACCIDENTAL RELEASE MEASURES

VENTILATE AREA OF LEAK OR SPILL. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS SPECIFIED IN SECTION 8. SPILLS: SWEEP UP AND CONTAINERIZE FOR RECLAMATION OR DISPOSAL. VACUUMING OR WET SWEEPING MAY BE USED TO AVOID DUST DISPERSAL.

=====

7. HANDLING AND STORAGE

KEEP IN A TIGHTLY CLOSED CONTAINER, STORED IN A COOL, DRY, VENTILATED AREA. PROTECT AGAINST PHYSICAL DAMAGE. ISOLATE FROM INCOMPATIBLE SUBSTANCES. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTY SINCE THEY RETAIN PRODUCT RESIDUES (DUST, SOLIDS); OBSERVE ALL WARNINGS AND PRECAUTIONS LISTED FOR THE PRODUCT.

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 004

MSDS NO: MZS5230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS:
NONE ESTABLISHED.

VENTILATION SYSTEM:

IN GENERAL, DILUTION VENTILATION IS A SATISFACTORY HEALTH HAZARD CONTROL FOR THIS SUBSTANCE. HOWEVER, IF CONDITIONS OF USE CREATE DISCOMFORT TO THE WORKER, A LOCAL EXHAUST SYSTEM SHOULD BE CONSIDERED.

PERSONAL RESPIRATORS (NIOSH APPROVED):

FOR CONDITIONS OF USE WHERE EXPOSURE TO DUST OR MIST IS APPARENT AND ENGINEERING CONTROLS ARE NOT FEASIBLE, A PARTICULATE RESPIRATOR (NIOSH TYPE N95 OR BETTER FILTERS) MAY BE WORN. IF OIL PARTICLES (E.G. LUBRICANTS, CUTTING FLUIDS, GLYCERINE, ETC.) ARE PRESENT, USE A NIOSH TYPE R OR P FILTER. FOR EMERGENCIES OR INSTANCES WHERE THE EXPOSURE LEVELS ARE NOT KNOWN, USE A FULL-FACE POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR.

WARNING: AIR-PURIFYING RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES.

SKIN PROTECTION:

WEAR PROTECTIVE GLOVES AND CLEAN BODY-COVERING CLOTHING.

EYE PROTECTION:

SAFETY GLASSES. MAINTAIN EYE WASH FOUNTAIN AND QUICK-DRENCH FACILITIES IN WORK AREA.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

MONOCLINIC, COLORLESS CRYSTALS.

BOILING POINT:

> 100C (> 212F)

ODOR:

ODORLESS.

MELTING POINT:

48C (118F) LOSES WATER @ 100C (212F)

SOLUBILITY:

796/100 ML WATER @ 4C (39F)

VAPOR DENSITY (AIR=1):

NO INFORMATION FOUND.

DENSITY:

1.75

VAPOR PRESSURE (MM HG):

NO INFORMATION FOUND.

PH:

NO INFORMATION FOUND.

EVAPORATION RATE (BUAC=1):

NO INFORMATION FOUND.

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 005

MSDS NO: MZS5230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

% VOLATILES BY VOLUME @ 21C (70F):

0
=====

10. STABILITY AND REACTIVITY

STABILITY:

STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE. STABILITY LIMITED IN SOLUTION.

HAZARDOUS DECOMPOSITION PRODUCTS:

OXIDES OF SULFUR AND HYDROGEN SULFIDE.

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR.

INCOMPATIBILITIES:

SODIUM NITRATE, HALOGENS, AND OXIDIZING AGENTS. REACTS WITH ACIDS TO RELEASE SULFUR DIOXIDE.

CONDITIONS TO AVOID:

INCOMPATIBLES.
=====

11. TOXICOLOGICAL INFORMATION

NO LD50/LC50 INFORMATION FOUND RELATING TO NORMAL ROUTES OF OCCUPATIONAL EXPOSURE.

-----\CANCER LISTS\-----

INGREDIENT	---NTP CARCINOGEN---		IARC CATEGORY
	KNOWN	ANTICIPATED	
SODIUM THIOSULFATE (7772-98-7)	NO	NO	NONE

=====

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

NO INFORMATION FOUND.

ENVIRONMENTAL TOXICITY:

NO INFORMATION FOUND.

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 006

MSDS NO: MZ55230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

13. DISPOSAL CONSIDERATIONS

WHATEVER CANNOT BE SAVED FOR RECOVERY OR RECYCLING SHOULD BE MANAGED IN AN APPROPRIATE AND APPROVED WASTE DISPOSAL FACILITY. PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS.

DISPOSE OF CONTAINER AND UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

14. TRANSPORT INFORMATION

NOT REGULATED.

15. REGULATORY INFORMATION

-----\CHEMICAL INVENTORY STATUS - PART 1\-----				
INGREDIENT	TSCA	EC	JAPAN	AUSTRALIA
SODIUM THIOSULFATE (7772-98-7)	YES	YES	YES	YES

-----\CHEMICAL INVENTORY STATUS - PART 2\-----				
INGREDIENT	--CANADA--			
	KOREA	DSL	NOSL	PHIL.
SODIUM THIOSULFATE (7772-98-7)	YES	YES	NO	YES

-----\FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 1\-----				
INGREDIENT	-SARA 302-		-----SARA 313-----	
	RQ	TPQ	LIST	CHEMICAL CATG
SODIUM THIOSULFATE (7772-98-7)	NO	NO	NO	NO

-----\FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 2\-----			
INGREDIENT	CERCLA	-RCRA-	-TSCA-
		261.33	8(D)
SODIUM THIOSULFATE (7772-98-7)	NO	NO	NO

CHEMICAL WEAPONS CONVENTION: NO

TSCA 12(B): NO

CDTA: NO

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 007

MSDS NO: MZ55230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

SARA 311/312: ACUTE: YES CHRONIC: NO FIRE: NO PRESSURE: NO
REACTIVITY: NO (PURE / SOLID)

AUSTRALIAN HAZCHEM CODE: NONE ALLOCATED.
POISON SCHEDULE: NONE ALLOCATED.

WHMIS: THIS MSDS HAS BEEN PREPARED ACCORDING TO THE HAZARD CRITERIA OF
THE CONTROLLED PRODUCTS REGULATIONS (CPR) AND THE MSDS CONTAINS
ALL OF THE INFORMATION REQUIRED BY THE CPR.

=====

16. OTHER INFORMATION

NFPA RATINGS:

HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0

REPORT NUMBER: 703

UNIVAR USA INC.

PAGE: 008

MSDS NO: HZ55230

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 03/30/05

VERSION: 004

PRODUCT: SODIUM THIOSULFATE

ORDER NO: 231068

PROD NO : 503233

----- FOR ADDITIONAL INFORMATION -----

CONTACT: MSDS COORDINATOR UNIVAR USA INC.
 DURING BUSINESS HOURS, PACIFIC TIME (425)889-3400

04/25/05 15:42 PRODUCT: 503233 CUST NO: 113365 ORDER NO: 231068

----- NOTICE -----

***** UNIVAR USA INC("UNIVAR"), EXPRESSLY DISCLAIMS

ALL EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR INFORMATION PROVIDED

HEREIN, AND SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR

CONSEQUENTIAL DAMAGES. **

DO NOT USE INGREDIENT INFORMATION AND/OR PERCENTAGES IN THIS MSDS AS A
PRODUCT SPECIFICATION. FOR PRODUCT SPECIFICATION INFORMATION REFER TO A PRODUCT
SPECIFICATION SHEET AND/OR A CERTIFICATE OF ANALYSIS. THESE CAN BE OBTAINED FROM
YOUR LOCAL UNIVAR SALES OFFICE.

ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE
MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS
BELIEVED TO BE ACCURATE, UNIVAR MAKES NO REPRESENTATIONS AS TO ITS ACCURACY OR
SUFFICIENCY. CONDITIONS OF USE ARE BEYOND UNIVARS CONTROL AND THEREFORE USERS
ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO
DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY
ASSUME ALL RISKS OF THEIR USE, HANDLING, AND DISPOSAL OF THE PRODUCT, OR FROM
THE PUBLICATION OR USE OF, OR RELIANCE UPON , INFORMATION CONTAINED HEREIN.
THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT
RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER
PROCESS.

*** E N D O F M S D S ***