Day of issue: 08-06-15

page 1/12

1. Identification of the substance/preparation and of the company

- Identification of the product:

Trade name: Rollei ATP-DC A/B Developer, comprising Part A, Part B1 and Part B2

- Use of the substance/preparation: photographic developing agent, particularly for pictorial development of black and white films.

- Manufacturer/distributor identification

- Manufacturer: **SPUR** Photochemie Dr. Heidrich und Schain GbR Schmiedestr. 31, 52379 Langerwehe Phone: 0049 (0)2423-6198 Fax: 0049 (0)2423-406980 Email: schain@spur-photo.com
 - **Distributor:** Hans O. Mahn GmbH & Co. KG MACO PHOTO PRODUCTS Brookstieg 4 22145 Hamburg-Stsapelfeld Phone: 0049 (0)40-23700888 Fax: 0049 (0)40-237008488 Email: photo@mahn.net
- Further information: 0049 (0)2423-6198 and 0049 (0)4023700888

- Competent person, responsible for Safety Data Sheet (email): schain@spur-photo.com (management)

- Emergency telephone (Germany): 0049 (0)30-19240 (Berlin poison control centre for symptoms of intoxication and embryonal toxicology)

2. Hazards identification

- Classification of the substance or mixture
- Classification according to regulation (EC) No. 1272/2008 -

All parts:

Acute Tox. 4 H 302 Harmful if swallowed Skin Irrit. 2 H 315 Causes skin irritation Skin sens. 1 H 317 May cause an allergic skin reaction Eye Irrit. 2 H 319 Causes serious eye irritation Aquatic Chronic 3 H 412 Harmful to aquatic life with long lasting effects Safety Data Sheet

Day of issue: 08-06-15

page 2/12

- Labelling elements
- Labelling according to regulation (EC) No. 1272/2008

The mixture is classified and labelled according to the CLP Regulation

All parts:

- Hazard pictogram



- Signal word: Warning
- Hazard statements

H 302 Harmful if swallowedH 315 Causes skin irritationH 317 May cause an allergic skin reactionH 319 Causes serious eye irritationH 412 Harmful to aquatic life with long lasting effects

- Precautionary statements

P 273 Avoid release to the environment P 301 + P 312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P 302 + P 352 IF ON SKIN: Wash with plenty of soap and water P 305 + P 351 + P 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P 337 + P 313 If eye irritation persists: Get medical advice/attention

3. Composition/Information on ingredients

- Chemical characterisation: aqueous solution (all parts)

- Hazardous ingredients:

Part A:

Diethylene glycol: EINECS: 203-872-2; CAS-RN: 111-46-6 Percentage: < 10 % Classification according to Regulation (EC) No. 1272/2008: STOT RE 2 H 373; Acute Tox. 4 H 302

Day of issue: 08-06-15

page 3/12

Trilon C: EINECS: 205-391-3; CAS-RN: 140-01-2 Percentage: < 0.4 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. (inhalative) 4 H 332; Repr. Lact. 2 H 361 Hydroquinone sulfonic acid (potassium salt): EINECS: 244-584-7; CAS-RN: 21799-87-1 Percentage: < 1 % Classification according to Regulation (EC) No. 1272/2008: Eye Irrit. 2 H 319; Skin Sens. 1 H 317 Hydroquinone (1.4-Dihydroxybenzene): EINECS: 204-617-8; CAS-RN: 123-31-9 Percentage: < 0.1 % Classification according to Regulation (EC) No. 1272/2008: Carc.2 H 351; Muta 2 H 341; Acute Tox. 4 H 302: Eye Dam. 1 H 318; Skin Sens. 1 H 317; Aquatic Acute. 1 H 400 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone: EINECS: 235-920-3; CAS-RN: 13047-13-7 Percentage: < 0.7 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; Skin Sens. 1 H 317; Aquatic Chronic 2 H 411 1-Phenyl-3-pyrazolidinone: EINECS: 202-155-1, CAS-RN. 92-43-3 Percentage: < 0.2 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; Aquatic Chronic 2 H 411 Sodium Tetraborate Decahydrate: EINECS: 215-540-4; CAS-RN: 1303-96-4 Percentage: < 0.2 % Classification according to Regulation (EC) No. 1272/2008: Repr. 1B H 360; Eye Irrit. 2 H 319 Potassium carbonate: EINECS: 209-529-3; CAS RN: 584-08-7

Percentage: < 2 % Classification according to Regulation (EC) No. 1272/2008: Skin Irrit. 2 H 315; Eye Irrit. 2 H 319; STOT SE 3 H 335

Part B1:

Sodium Hydroxide: EINECS 215-185-5; CAS-Nr. 1310-73-2 Percentage: < 1 % Classification according to Regulation (EC) No. 1272/2008: Met. Corr. 1 H 290; Skin corr. 1A H 314

Trilon C: EINECS: 205-391-3; CAS-RN: 140-01-2 Percentage: < 0.7 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. (inhalative) 4 H 332; Repr. Lact. 2 H 361

Day of issue: 08-06-15

page 4/12

Potassium Thiocyanate: EINECS: 206-370-1; CAS-Nr. 333-20-0 Percentage: < 0.8 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; H 312; H 332; Aquatic Chronic 3 H 412

Part B2:

Sodium Hydroxide: EINECS 215-185-5; CAS-Nr. 1310-73-2 Percentage: < 1.5 % Classification according to Regulation (EC) No. 1272/2008: Met. Corr. 1 H 290; Skin corr. 1A H 314

Trilon C: EINECS: 205-391-3; CAS-RN: 140-01-2 Percentage: < 0.7 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. (inhalative) 4 H 332; Repr. Lact. 2 H 361

Potassium Thiocyanate: EINECS: 206-370-1; CAS-Nr. 333-20-0 Percentage: < 0.8 % Classification according to Regulation (EC) No. 1272/2008: Acute Tox. 4 H 302; H 312; H 332; Aquatic Chronic 3 H 412

Potassium carbonate: EINECS: 209-529-3; CAS RN: 584-08-7 Percentage: < 0.%Classification according to Regulation (EC) No. 1272/2008: Skin Irrit. 2 H 315; Eye Irrit. 2 H 319; STOT SE 3 H 335

- Additional reference: The wording of the hazard warnings can be looked up under section 16.

4. First-aid measures

- General information: Remove items of clothing contaminated by the product immediately.

- Inhalation: Move affected person to fresh air and keep at rest. In case of persistent complaints seek medical advice.

- Skin contact: Wash off thoroughly with plenty of water.

- Eye contact: Remove contact lenses, open eyelids, flush thoroughly with water and consult a doctor.

- Ingestion: If swallowed, rinse mouth and drink plenty of water. Do not induce vomiting. Seek medical advice.

- Special information for your doctor: None.

5. Fire-fighting-measures

- Suitable extinguishing media: CO2, extinguishing powder, water spray. Fight larger fires with water spray jets or alcohol-resistant foam.

- Non suitable extinguishing media: None

page 5/12

- Specific Hazards: Hazardous combustion products: sulphur dioxide (Part A and Part C), ammonia (Part C)

- Protective equipment: Do not inhale explosion and combustion gases. Wear breathing apparatus and protective clothing.

- Particular fire and explosion hazards: None

6. Accidental release measures

- Personal precautions: Provide for sufficient ventilation.

- Environmental precautions: Do not empty into drains; prevent the product from contaminating surface or ground water. If waters or sewage are contaminated, report to the competent authorities. Dilute with plenty of water.

- Methods for cleaning up: Absorb with a liquid-binding agent (sand, mountain flour, sSurebinder, universal binding agent, sawdust). Sweep up and store in suitable container, dispose of contaminated material as waste labelled according to waste law in force.

- Additional information: Flush residues with water.

7. Handling and storage

- Handling:

- Safe handling: Provide for proper ventilation in work area. Avoid long-term and repeated skin contact; no special measures required if used properly.

- Fire and explosion control: No special measures required.

- Storage:

- Storage facilities and containers: No specific requirements.

- Storage with other substances: Do not store with acids, strong oxidants, and food.

- Further information on storage conditions:

- Store in well-sealed containers cool and dry. Store away from heat and direct sunlight. Do not expose to light. Keep locked up and out of reach of children. Recommended storage temperature: 5 to 15°C / 41 to 59°F.

- Storage class:

- Classification according to Ordinance on Industrial Safety and Health: n/a

Day of issue: 08-06-15

page 6/12

8. Exposure controls/personal protection

- Additional information for system design: None

- Components with workplace-specific control parameters:		
111-46-6 Diethylene g	lycol (Part A)	
MAC (Germany)	44 mg/m^3 ; 10 ml/m^3	
	4(I); DFG, Y	
1303-96-4 Sodium Tetraborate Decahydrate (Part A)		
MAC (Germany)	$0,5 \text{ mg/m}^3$;	
	2(I); AGS, Y, 10;	

- Personal protective equipment:
General protection and hygiene measures: Wash hands before breaks and end of work. Do not
inhale gases, vapours, or aerosols. Avoid skin and eye contact.
Respiratory protection: Not required.
Hand Protection: Wear protective gloves made from materials impermeable and resistant to the
product/substance/preparation. The materials have to be chosen with due regard to penetration
times, permeation rates, and degradation.
Glove material: The choice of a suitable glove not only depends on the material, but also on further
quality features and may vary from manufacturer to manufacturer. As the product is a preparation
composed of a number of substances, the stability of the glove materials is not predictable and,
therefore, needs to be tested before use. The liquid tightness of the glove has to be tested before it is
used again. Due to a lack of testing, no glove material can be recommended for the
product/substance/preparation.
Penetration time of the glove material: The exact breakthrough time can be given by the protective
gloves manufacturer and is to be observed.
Eye Protection: Wear safety goggles.
Skin/body protection: Wear protective clothing.

page 7/12

9. PHYSICAL AND CHEMICAL PROPERTIES

Preparation	Part A	Part B1	Part B2
- General information			
Form:	liquid	liquid	liquid
Colour:	light yellow	uncoloured	uncoloured
Odour:	specific	odourless	faint smell of ammonia
- Change of state			
Melting point / range	not determined	not determined	not determined
Boiling point / range	> 100° C	> 100° C	> 100° C
- Flash point	not applicable	not applicable	not applicable
- Auto-flammability	no ~	no ~	no ~
- Explosion hazard	no ~	no ~	no ~
- Vapour pressure at 20° C	not specified	not specified	not specified
- Density at 20° C	1.183 g/cm ³	1.02 g/cm ³	1.17 g/cm ³
- Solubility in/miscibility with			
water	complete	complete	complete
-pH-value at 20° C	9.55	11,4	9,15
- Solvent content			
Organic solvent:	0.0 %	0.0 %	0.0 %
Water:	80.6 %	98 %	79.1 %
VOC (EU):	0.0 %	0.0 %	0.0 %
- Solids content:	19.4 %	2 %	20.9 %

10. Stability and reactivity

- Thermal decomposition/conditions to avoid: No decomposition when used properly.
- Materials to avoid: Strong acids and oxidising agents
- Hazardous reactions: No hazardous reactions known.
- Hazardous decomposition products: Parts A and AB: none. Part B2: ammonia

Day of issue: 08-06-15

page 8/12

11. Toxicological information

- Acute to	oxicity – P	art A	
- Classifi	- Classification relevant LD/LC50 values:		
123-31-9	Hydroqui	none	
Oral:	LD50	320 mg/kg (rat)	
Dermal:	LD50	> 4800mg/kg (rat)	
1303-96-	4 Sodium	Tetraborate Decahydrate	
Oral:	LD50	2660 mg/kg (rat)	
Dermal:	LD50	> 2000 mg/kg (rabbit)	
21799-87	'-1 Hydrog	uinone sulfonic acid (potassium salt)	
Oral:	LD50	> 10000 mg/kg (rat)	
Dermal:	LD50	> 5000 mg/kg (rabbit)	
92-43-3 1	92-43-3 1-Phenyl-3-pyrazolidinone		
Oral:	LD50	200 mg/kg (rat)	
13047-13-7 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone			
Oral:	LD 50:	1009 mg/kg (rat)	
Dermal:	LD 50:	> 2000 mg/kg (rat)	
111-46-6	Diethylen	e glycol	
Oral:	LD50	12565 mg/kg (rat)	
Oral:	LDLo	1000mg/kg (human)	
Duima	inmitant of	feat	

- Primary irritant effect:

Skin: Irritant effect possible.Eye: Irritant effect possible.

- Sensitisation: May cause sensitisation by skin contact.

-	Acute	toxicity	y – Part B1
---	-------	----------	-------------

- Classification relevant LD/LC50 values:		
- 333-20-0 Pota	ssium Thiocyanate	
Oral: LD5) 854 mg/kg (rat)	
- Specific symptoms in animal tests		
- 1310-73-2 Sodium hydroxide		
Skin irritation	rabbit, 24 h	result: causes burns (RTECS)
Eye irritation	rabbit, 24 h	result: causes burns. Risk of blindness (RTECS)

- Primary irritant effect:

- Skin: Irritant to skin and mucous membranes

- Eye: Irritant effect.

- Sensitisation: No sensitising effects known.

page 9/12

- Acute toxicity – Part B2			
- Classification	- Classification relevant LD/LC50 values:		
- 333-20-0 Potassium Thiocyanate			
Oral: LD50	854 mg/kg (rat)		
- Specific symptoms in animal tests			
- 1310-73-2 Sodium hydroxide			
Skin irritation	rabbit, 24 h	result: causes burns (RTECS)	
Eye irritation	rabbit, 24 h	result: causes burns. Risk of blindness (RTECS)	
Drimoury imitant offects			

- Primary irritant effect:

- Skin: Irritant to skin and mucous membranes

- Eve: Irritant effect.

- Sensitisation: No sensitising effects known.

12. Ecological information

- Ecotoxicity – Part A

- Aquatic toxicity			
123-31	-9 Hydroquinone		
EC50	48h: 0.29 mg/l (daphnia magna)		
LC50	96h: 0.044 mg/l (Pimepales promelas)		
13047-	13-7 4-Hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidone		
EC50	24h: 7.1 ppm (Daphnia magna)		
LC50	1 – 10 mg/l (fish fathead minnow / Pimephales promelas)		
LC50	LC50 35 mg/l (fish ide / Leuciscus idus auratus Bade)		
LC50	LC50 96h: 32 ppm (fish rainbow trout / Onchorhynchus mykiss)		
92-43-3 1-Phenyl-3-pyrazolidinone			
LC50	LC50 96h: 5 mg/l (Pimepales promelas, fish)		
D			

- Remark: Harmful to fish

- General Information:

Water hazard class 2 (self-assessment according to VwVwS(German administrative regulation regarding water pollutants)): Hazardous to water.

Do not empty into drains; do not let product contaminate ground water, waters or sewage. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms.

- Ecotoxicity – Part B1		
- Aquatic toxicity		
333-20-0 Potassium thiocyanate		
EC50 48h: 11 mg/l (Daphnia magna)		
LC50 96h: 100 mg/l (Onchorhynchus mykiss)		
1310-73-2 Natriumhydroxid		
EC50 48h: 40.4 mg/l (crustacea)		
LC50 96h: 196 mg/l (fish)		
- Remark: Harmful to fish		

- General Information:

Water hazard class 1 (self-assessment according to VwVwS(German administrative regulation regarding water pollutants)): slightly hazardous to water.

Do not empty into drains undiluted or in large quantities; do not let product contaminate ground water, waters or sewage undiluted or in large quantities. Harmful to aquatic organisms.

page 10/12

- Ecoto	xicity – Part B2	
- Aquat	ic toxicity	
333-20	333-20-0 Potassium thiocyanate	
EC50	48h: 11 mg/l (Daphnia magna)	
LC50	96h: 100 mg/l (Onchorhynchus mykiss)	
1310-73-2 Natriumhydroxid		
EC50	48h: 40.4 mg/l (crustacea)	
LC50	96h: 196 mg/l (fish)	

- Remark: Harmful to fish

- General Information:

Water hazard class 1 (self-assessment according to VwVwS(German administrative regulation regarding water pollutants)): slightly hazardous to water.

Do not empty into drains undiluted or in large quantities; do not let product contaminate ground water, waters or sewage undiluted or in large quantities. Harmful to aquatic organisms.

13. Disposal considerations

- Product (All Parts):

- Empfehlung: Recommendation: Do not dispose of the product through household waste. Do not let product contaminate sewage.

- European Waste Directory

090101 | water-based developer and activator solutions

- Uncleaned packaging:

- Recommendation: Disposal according to official regulations and requirements.

- Recommended cleaning agent: Water, if necessary, with cleaning agent.

14. Transport information

- Land transport ADR/RID and GGVS/GGVE (cross-border/inland):

- ADR/GGVS/E class: No dangerous good, not classified.

- Maritime transport IMDG/GGVSea:

- IMDG/GGVSea-class: No dangerous good, not classified.
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA class: No dangerous good, not classified.
- UN "Model Regulation" : No dangerous good, not classified.

Day of issue: 08-06-15

page 11/12

15. Regulatory information

Designation according to EC guidelines: The mixture is classified and labelled according to the CLP Regulation (EC) No. 1272/2008:

All parts:

- Hazard pictogram



- Signal word: Warning
- Hazard statements

H 302 Harmful if swallowed
H 315 Causes skin irritation
H 317 May cause an allergic skin reaction
H 319 Causes serious eye irritation
H 412 Harmful to aquatic life with long lasting effects

- Precautionary statements

P 273 Avoid release to the environment

P 301 + P 312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P 302 + P 352 IF ON SKIN: Wash with plenty of soap and water

P 305 + P 351 + P 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P 337 + P 313 If eye irritation persists: Get medical advice/attention

Special designation of certain preparations: -

National regulations:

Classification according to Ordinance on Industrial Safety and Health: (BetrSichV): -

Water hazard class: Part A1, A2, A3: water hazard class 2 (self-assessment): hazardous to water Part B: water hazard class 1 (self-assessment): slightly hazardous to water

page 12/12

16. Other information

The data given in this safety data sheet is based on our present knowledge. It does not guarantee any specific product features and does not establish a contractual legal relationship.

- Relevant H statements:

- H 290 May be corrosive to metals
- Harmful if swallowed H 302
- Causes severe skin burns and eye damage H 314
- H 315 Causes skin irritation
- H 317 May cause an allergic skin reaction
- Causes serious eye damage H 318
- Causes serious eye irritation H 319
- Harmful if inhaled H 332
- May cause respiratory irritation H 335
- Suspected of causing genetic defects H 341
- Suspected of causing cancer H 351
- May damage fertility or the unborn child H 360
- H 361 Suspected of damaging fertility or the unborn child
- H 373 May cause damage to organs through prolonged or repeated exposure
- Very toxic to aquatic life H 400
- Toxic to aquatic life with long lasting effects H 411
- H 412 Harmful to aquatic life with long lasting effects
- Responsible for data sheet: management of manufacturer
- Person of contact: Dipl.-Ing. Heribert Schain

- Abbreviations and Acronyms

ADR: Accord europeen sur le transport des merchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement internationale concernent le transport des merchandises dangereuses par chemin de fer (Regulations concerning the international Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

- GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

LDLo Lethal dose low

EC50 half maximal effective concentration